# MATERIAL SAFETY DATA SHEET Totality<sup>TM</sup> Wood Treatment

MSDS #: 6206-4-A Revision date: 2014-07-31 Version 1.02



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 And Canadian Workplace Hazardous Materials Information System (WHMIS) requirements.

Totality <sup>™</sup> Wood Treatment
6206
Bifenthrin
BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate.
Pyrethroid Pesticide
Insecticide
Emergency telephone number For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries) Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

<b>2. HAZ</b>	ARDS IDENTIFICATION	

Appearance	Amber Liquid	
Physical State	Liquid	
<u>Odor</u>	Hydrocarbon-like	
Physical or Chemical Hazards		
Flammable properties	Combustible liquid	
Potential Health Effects Principal Routes of Exposure	Skin Contact, Eye Contact, Inhalation. Ingestion	
Acute Effects Eyes Skin Inhalation Ingestion	Irritating to eyes. Irritating to skin. Prolonged or repeated contact may dry skin and cause irritation. May cause irritation of respiratory tract. May cause drowsiness and dizziness. Toxic if swallowed. May cause central nervous system depression. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed.	

Chronic Effects	Effects are expected to be similar to those that are seen with acute toxicity. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage.
Environmental Hazard	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous ingredients

Chemical name	CAS-No	Weight %
Bifenthrin	82657-04-3	23.4
1,1'-Biphenyl, bis(1-methylethyl)-	69009-90-1	30-40
Petroleum distillates, hydrotreated light	64742-47-8	10-20
Benzenesulfonic acid, dodecyl-, branched, calcium salts	70528-83-5	1-5

4. FIRST AID MEASURES		
Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.	
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.	
Inhalation	Move person to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.	
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.	
Notes to Physician	Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.	

# **5. FIRE-FIGHTING MEASURES**

Flammable properties	Combustible liquid
Suitable Extinguishing Media	Use CO2, dry chemical, or foam.
Hazardous Combustion Products	Toxic fumes may be produced.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear.

Health Hazards	1
Flammability	2
Stability	0
Special Hazards	-

	6. ACCIDENTAL RELEASE MEASURES
Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.
Other	For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
	7. HANDLING AND STORAGE

Handling

Storage

Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Γ	Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
	Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m <sup>3</sup> Skin			

#### Occupational exposure controls

Engineering measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.	
Personal protective equipment		
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	
<b>Respiratory Protection</b>	For dust, splash, mist or spray exposures wear a filtering mask.	
Eye/Face Protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.	
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, shoes, and gloves.	
Hand Protection	Protective gloves	

Hygiene measures

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Amber Liquid
Color	Amber
Physical State	Liquid
Odor	Hydrocarbon-like
рН	3.9
Boiling Point/Range	Not applicable
Flash point	67 - 70 °C / 153-158 °F
Flammable properties	Combustible liquid
Density	8.59 lb/gal
Specific gravity	1.031 @ 20 °C
Water solubility	Emulsifies
Decomposition temperature	No information available

10. STABILITY AND REACTIVITY		
Stability	Stable.	
Conditions to Avoid	Heat, flames and sparks	
Hazardous Decomposition Products	May emit toxic fumes under fire conditions. Carbon oxides, Hydrogen chloride, Hydrogen fluoride.	
Hazardous polymerization	Hazardous polymerization does not occur.	

## **11. TOXICOLOGICAL INFORMATION**

#### Acute Effects

Eye Contact Skin Contact Ingestion Inhalation	Moderately irritating to eyes (rabbit) Irritating to skin (rabbit). Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge. Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema. Inhalation of hydrocarbon vapors may cause headaches, dizziness, disturbances in vision, drowsiness, respiratory irritation, anesthesia, unconsciousness, and other central nervous system effects.
LD50 Dermal LD50 Oral	> 2,000 mg/kg (rabbit) 153 mg/kg (rat)
Sensitization	sensitizer
Chronic Effects	
Chronic toxicity	Effects are expected to be similar to those that are seen with acute toxicity. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage.

Carcinogenicity	Bifenthrin: Did not show carcinogenic effects in animal experiments.	
Mutagenicity	Bifenthrin: Not genotoxic in animal studies.	
Reproductive toxicity	Bifenthrin: No toxicity to reproduction in animal studies.	
Neurological effects	Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure.	
Developmental toxicity	Bifenthrin: Not teratogenic in animal studies.	
Target organ effects	Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably not of toxicological concern.	

# **12. ECOLOGICAL INFORMATION**

## Ecotoxicity effects

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/l
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	μg/L

#### **Environmental Fate**

Persistence and degradability	Inherently biodegradable		
Bioaccumulation	Bifenthrin: The substance has a potential for bioconcentration.		
Mobility	Bifenthrin: Immobile Not expected to reach groundwater.		
13. DISPOSAL CONSIDERATIONS			
Waste disposal methods	Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.		
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.		

# **14. TRANSPORT INFORMATION**

<u>DOT</u>	USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D" transition to "Limited Quantity" by 12/31/2020. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond (new). Please prepare shipping documents to match the carton mark.
Packaging Type	4 x 1 quart, 4 x 4 x 1 quart
Proper Shipping Name	Consumer commodity
Hazard Class	ORM-D
Packaging Type	Non-Bulk
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic
UN/ID no	UN3352
Hazard class	6.1

## **Totality<sup>TM</sup> Wood Treatment**

Packing Group Description	III UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PGIII
<u>TDG</u>	The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not applicable when shipped only by road or rail in Canada.
UN/ID no	UN3352
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic
Hazard class	6.1
Packing Group	III
Marine Pollutant	Bifenthrin.
Description	UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PGIII, Marine Pollutant
ICAO/IATA	
UN/ID no	UN3352
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic
Hazard class	6.1
Packing Group	III
Marine Pollutant	Bifenthrin
Description	UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PGIII, Marine Pollutant
Limited quantity	611 / 60L
IMDG/IMO	
UN/ID no	UN3352
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic
Hazard class	6.1
Packing Group	III
EmS No.	F-A,S-A
Marine Pollutant	Bifenthrin
Description	UN3352, Pyrethroid pesticide, liquid, toxic (Bifenthrin), 6.1, PGIII, Marine Pollutant

## **15. REGULATORY INFORMATION**

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin	82657-04-3	23.4	1.0
SARA 311/312 Hazard Categories	Vac		
SARA 311/312 Hazard Categories Acute health hazard Chronic health hazard	Yes Yes		

No

No

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Component	U.S TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
1,1'-Biphenyl, bis(1-methylethyl)- 69009-90-1 ( 30-40 )	06/28/1984

### **International Regulations**

**Reactive Hazard** 

Sudden release of pressure hazard

Mexico - Grade

No information available

MSDS #: 6206-4-A Revision date: 2014-07-31 Version 1.02

#### **CANADA**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class



B3 - Combustible liquid D1B - Toxic materials D2B - Toxic materials

## **16. OTHER INFORMATION**

**Revision date: Reason for revision:**  2014-07-31 (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

**Prepared By:** 

FMC Corporation FMC Logo - Trademark of FMC Corporation

© 2014 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**