secticide

Concentrate

- · Provides rapid knockdown and kill
- · May be applied as a wet spray while food plants are in operation
- · Active Ingredients from Plant **Essential Oils**
- · Minimum Risk Pesticide

ACTIVE INGREDIENT: Rosemary Oil..

INERT INGREDIENTS: Oil of Wintergreen, Mineral Oil

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF IN EYES: Flush with water for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician if irritation persists.

IF ON SKIN: Wash exposed area with plenty of soap and water. Remove contaminated clothing. Get medical attention if irritation persists.

IF INHALED: Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF SWALLOWED: Rinse mouth out with water. Call a doctor or get medical attention as soon as possible. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or spray mist. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE **EQUIPMENT (PPE)**

Persons handling concentrate are recommended to wear:

- · Protective evewear
- · Chemical resistant gloves made of neoprene, nitrile or natural rubber.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if the product gets inside. Wash thoroughly and put on clean clothing. Remove PPE after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.

ENVIRONMENTAL HAZARDS

Do not contaminate drinking water or contact aquatic life.

PHYSICAL OR CHEMICAL **HAZARDS**

Do not use, pour, spill or store near heat or open flames. Store only in original container.

DIRECTIONS FOR USE

EcoExempt™ IC is a highly versatile insecticide concentrate for indoor or outdoor applications. EcoExempt™ IC may be applied in both food and non-food areas of food handling establishments.

FOR BEST RESULTS AND TO IMPROVE COMPATIBILITY - MIX WITH ONE OF THE FOLLOWING ADJUVANTS, Follow use directions on the individual labels.

NO Foam A. Latron® AG-44M, Latron AG-98, Prospreader® Activator, Activator 90, Latron CS-7, EZ Mix, Penetrator® +(plus), Freeway, Hyperactive, Induce, X-77, or Widespread

SHAKE WELL BEFORE USING. Maintain Agitation in all spray systems

EcoExempt™ IC is intended for use in and around buildings and structures as well as modes of transport.

INDOOR USE AREAS: Apartment buildings, bakeries, beverage plants, bottling facilities, breweries, cafeterias, candy plants, canneries, cereal processing and manufacturing plants, dairy barns, poultry facilities, flour mills, food processing

plants, frozen food plants, homes, hospitals, hotels, houses, industrial buildings, kennels, kitchens, laboratories, manufacturing facilities, mausoleums, meat processing and packaging plants, meat and vegetable canneries, motels, nursing homes, office buildings, restaurants, schools, stores, supermarkets, warehouses and similar structures.

OUTDOOR AREAS: Building foundations, dairy facilities, drive-in restaurants, drive-in theaters, golf courses, parks, playgrounds, poultry houses, recreational areas, schools, urban areas, lawns, landscape areas, trees, turf, zoos, and similar facilities.

MODES OF TRANSPORT: Buses, trucks, trailers, rail cars and marine vessels.

Directions for Use:

Avoid spraying outdoor furniture, plastic surfaces including stormdoors/windows. May mar sensitive surfaces (i.e. plastic, vinyl, fabric, etc). If unsure, test in a small non-visible area prior to any application.

EcoExempt™ IC may be diluted with water or oil and applied with conventional application equipment including, but not limited to, compressed air sprayers and power sprayers. When diluting with water, prepare only the amount needed for immediate use and maintain agitation during use. Do Not Store Spray Solution Overnight. For oil dilutions that are applied in food handling establishments, a deodorized petroleum oil which conforms to CFR 21 (especially section 172.884) is required (such as Exxon Isopar M, Ashland Low Odor Base Solvent or equivalent).

Tank mix applications must be made in accordance with the more restrictive of label limitations and precautions. No label dosages may be exceeded. This product cannot be tank mixed with any product with label prohibitions against such mixing.

INDOOR USE

Indoors, wipe up any excess to prevent potential damage and avoid sensitive surfaces (cover before application). May mar sensitive indoor/outdoor surfaces (i.e. plastic, vinyl, wood floors). Please test in a small non-visible area prior to any application. Cover/avoid any pools or aquaria prior to spraying. As with any pesticide, remove pets (including birds) from the area being treated and cover fish aquaria before spraying.

GENERAL PEST CONTROL: To control accessible, exposed stages of crawling insects including, but not limited to, Ants, Cockroaches, Cadelles, Cigarette Beetles, Dark Mealworms, Dried Fruit Beetles, Drugstore Beetles, Confused Floor Beetles, Grain Mites, Fowl Mites, Mites, Red Flour Beetles, Rice Weevils, Saw-toothed Grain Beetles, Spider Beetles, Termites, Yellow Mealworms in sites that include, but are not limited to, apartments, homes, restaurants, food processing plants, industrial installations and warehouses, dilute at the rate of up to 3-6 fluid ounces of EcoExempt™ IC per gallon of water. Thoroughly spray non-visible areas where these insects are usually found with special attention

to cracks and crevices, niches, dark corners, drains and other harborage sites. To prevent potential discoloring, do not spray on visible areas (i.e. baseboards, door frames, walls, etc.) and wipe away excess.

When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. Do not apply as a space spray while food processing is under way. Food processing surfaces and equipment must be covered during treatment or cleaned with an effective detergent and rinsed, with potable water before reuse. Except in Federally inspected meat and poultry plants, food processing operations may continue when this product is applied as a surface spray with care and in accordance with the directions and precautions aiven below.

INDOOR USE: To control crawling and flying insects (flies, moths, fruit flies, etc) in sites that include, but are not limited to, food processing plants, (INCLUDING USDA INSPECTED FACILITIES), industrial installations, animal quarters (cattle barns, horse barns, poultry barns, swine houses, zoos) and warehouses, EcoExempt™ IC may be applied as a space spray through conventional fogging equipment. Cover or remove exposed food and cover food-handling surfaces in edible product areas of food handling establishments.

Also cover sensitive surfaces (plastics, etc). Close and shut off air conditioning or ventilating equipment. Mix 4-10 ounces (it is recommended to use lower rates in most food facility applications) of EcoExemptTM IC with sufficient oil to equal 1 gallon of diluted spray. Apply at a rate of 1-3 fluid ounces per 1000 cubic feet, filling the room with mist (or fog, if thermal equipment is used). Keep area closed for at least 15 minutes. Vacate treated area. Ventilate before reoccupying. Retreat if reinfestation occurs.

The product does contain plant oils that are inherently fragrant. When used in confined spaces, prolonged exposure to the fragrance may be objectionable to some individuals.

OUTDOOR USE

PERIMETER TREATMENTS: To control Aphids, Ants, Bees, Centipedes Cockroaches, Crickets, Darkling Beetles, Firebrats, Fleas, Ground Beetles, Fowl Mites, Mites, Millipedes, Pillbugs, Silverfish, Sowbugs, Spiders, Ticks and Wasps. In compressed air sprayers, dilute 4-8 fluid ounces of EcoExempt™ IC per gallon of water and apply at the rate of 2 gallons per 1000 square feet or until area is thoroughly wet. Also apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to buildings. Treat the building foundation to a height of 2 to 3 feet with sufficient water for coverage. For power sprayers mix approximately 2-6 fluid ounces per gallon of water and apply until area is sufficiently covered (usually min. 4 gallons per 1000 square feet) Maintain Agitiation, Avoid sensitive surfaces such as vinyl siding.

FLY CONTROL: To control flies and other unwanted pests, apply approximately 1 gallon of EcoExempt™ IC into 70-80 gallons of water and spray through conventional equipment. Repeat as necessary.

USE ON TURF AND GRASS: Used alone as a contact spray: To control Ants, Armyworms, Pillbugs, Chinch Bugs, Chiggers, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Hyperodes, Weevils (adults), Japanese Beetles (adults), Mole Crickets, Sod Webworms and Ticks, dilute in a compressed air sprayer (or backpack) 2-4 fluid ounces of EcoExempt™ IC per gallon of water and apply at the rate of 2-4 gallons per 1000 square feet or until area is thoroughly wet. For power sprayers mix approximately 2-4 fluid ounces per gallon of water and apply until area is sufficiently covered (usually min. 4 gallons per 1000 square feet with power sprayer)

In combination with other insecticides:

To provide quick knockdown of insects when used with a residual insecticide, tank-mix EcoExempt™ IC at the rate listed above with the proper amount of companion insecticide and apply per the Directions for Use on the companion insecticide label.

Prior to tank mixing, a compatibility test should be conducted using the proper proportions of chemicals and water to ensure the physical compatibility of the mixture. This can be done in a pint or quart jar,. Add the Emulsifiable Concentrate or Wettable Powder and adjuvant prior to adding the EcoExempt IC. Tank-mix applications must be made in accordance with the more restrictive of label limitations and precautions. No label application rates may be exceeded. This product cannot be mixed with any product with label prohibitions against such mixing.

Exceeding rates will create potential phytotoxicity of turf surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, feed, or foodstuffs by storage or disposal.

Storage: Keep container tightly closed when not in use. Store only in the original container in a cool dry place away from children and pets.

Container Disposal: Do not reuse empty container. Rinse empty container then puncture and dispose of container in a sanitary landfill, or incinerator, or if allowed by state and local regulations, by burning. If burned, stay out of smoke. Rinsed containers may be offered for recycling or disposed of with trash.

Question or Comments: Call 1-888-326-7233 weekdays, 9a.m. to 5p.m. CST. Chemical Safety Information: Call 1-800-535-5053 anytime (InfoTrac Chemical Response System)

Limitation of Liability: EcoSMART Technologies, Inc. makes no warranties of merchantability, or of fitness for a particular purpose, nor any other express or implied warranty except as stated above.

www.ecopco.com

This product has not been registered by the U.S. Environmental Protection Agency (EPA). EcoSMART Technologies, Inc. represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).



©2002 EcoSMART Technologies, Inc. 318 Seaboard Lane, Suite 202 Franklin, TN 37067 All Rights Reserved

EcoSMART lechnologies, Inc. Made in USA U.S. Patent No. 6,004,569 U.S. and Foreign Pat. Pending

Product code: #23036

EcoEXEMPT ® and the EcoSMART Technologies logo are trademarks of EcoSMART Technologies, Inc.

Latron® is a registered trademark of Dow Agro Science. Prospreader® is a registered trademark of Target Specialty Products. Induce? Penetrator,® and Hyperactive are trademarks of Helna Chemical. Widespread® and Freeway® are registered trademarks of Loveland Industries.