

SPECIMEN LABEL



SPECIMEN LABEL

PROFESSIONAL INSECT CONTROL® ANT KILLER BAIT STATIONS

ANT KILLER BAIT STATIONS

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

ACTIVE INGREDIENT:

Hydramethylnon: tetrahydro-5, 5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl) phenyl)-1-(2-(4-(trifluoromethyl) phenyl) ethenyl)-2-propenylidene) hydrazone ...	1.00%
Inert Ingredients:	99.00%
TOTAL:	100.00%

CONTAINS: 24 Child-Resistant Bait Stations

CAUTION: KEEP OUT OF REACH OF CHILDREN

MAXFORCE® Ant Killer Bait Stations contain a patented bait formulation which kills Pharaoh ants and other common household ants: Pharaoh Ants, Argentine Ants, Red Imported Fire Ants, Crazy Ants, Acrobat Ants, Pavement Ants, Cornfield Ants, Odorous House Ants and Thief Ants. When properly used, MAXFORCE® will attract foraging worker ants to the bait station. The ants will feed on the bait, which contains Hydramethylnon, a delayed action stomach poison. Then, the worker ants will take some of this bait back to the nest, where they will pass it on to destroy the queen and the entire colony. MAXFORCE® will kill both adult and larval ant forms.

Do not use residual sprays with or near the MAXFORCE® bait stations, as the worker ants must remain alive to carry the bait back to the queen and immature workers. Residual sprays may cause worker ants to spread out and form secondary colonies. MAXFORCE® Ant Killer works because it is non-repellant and thus will not cause secondary colony formation.

MAXFORCE® has no insecticide odor, and it is child-resistant and easy to use. The patented bait station design allows you to inspect each bait placement and monitor the amount of ant feeding. It may be used for the control of ants wherever they are a problem (e.g., hospitals, nursing homes, day care centers, schools, residential establishments, warehousing and commercial establishments, food service, food manufacturing and food processing facilities, laboratories, computers and electronic equipment facilities, pet shops, zoos, buses, boats, aircraft, and trains.

PRECAUTIONARY STATEMENTS

CAUTION: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. May be harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT:

If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of emergency, call day or night, 1-800-426-6228.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Do not remove bait from stations. Wrap used stations and put in a garbage can.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Simply place each bait station indoors or outdoors immediately next to ant trails or close to areas where ants are numerous. Nests are usually located in dark, humid and warm areas close to a water and food source. For maximum effectiveness in ant control the bait station should be placed in or near wall voids, electrical outlets (if wiring permits), potted plants, waste paper baskets, garbage cans and sinks. Bait stations can be placed in cabinets, next to food and dishes, near sensitive equipment or anywhere your ant problem occurs.
- Indoor Use: For normal infestations, you should use 3 MAXFORCE® Ant Killer bait stations in an average size room. For heavier infestations, you will need additional bait stations in each room. If infestation persists beyond two weeks, replace all bait stations where the bait has been completely consumed and relocate bait stations that show no evidence of ant feeding.
- Outdoor Use: Bait stations should be placed near ant activity or anywhere ants may gain access to the structure. Application sites include air conditioning units, electrical conduits, vents, pipe chases, concrete slabs, skylights on roofs; around ant mounds, garbage cans, and trees; along walls, window sills, sidewalks and driveways; on ground around structure.
- The bait stations can be stuck to a vertical surface by peeling off the bottom label to expose adhesive.
- Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.
- Increased ant activity may be seen near the bait stations immediately after placement for short periods but you can expect to see less activity within one week. After placement, ant trails may be observed between the bait stations and the nests. For best results do not interfere with the ants or the stations during their use because ants must carry the bait back to destroy the queen and colony.
- Inspect all bait stations and replace as needed for continuous control of ants.

TOTAL NET WEIGHT
1.27 oz. (36g.)

Distributed by: 1997



1221 Broadway
Oakland, CA 94612

EPA Reg. No. 64248-2
EPA Est. No. 5813-MS-01
Product Code No. 45800

MAXFORCE[®]

PROFESSIONAL INSECT CONTROL[®] ANT KILLER BAIT STATIONS

Material Safety Data Sheet

I Product: MAXFORCE [®] Professional Insect Control [®] Ant Killer Bait Stations								
Description: HYDRAMETHYLNON BASED FOOD BAIT IN A CHILD-RESISTANT PLASTIC STATION								
Other Designations:	Manufacturer	Emergency Telephone Number						
EPA REG NO: 64248-2	Maxforce Insect Control Systems 1221 Broadway Oakland, CA 94612	Notify Your Supervisor Rocky Mountain Poison Center (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300 For inquiries/problems please call (800) 426-6228 6:30 a.m. - 4:00 p.m. PST						
II Health Hazard Data		III Hazardous Ingredients						
<p>MAXFORCE[®] Professional Insect Control[®] Ant Killer bait may be minimally irritating to skin following prolonged direct contact. It is not acutely toxic upon oral or dermal exposure.</p> <p>Untoward effects resulting from over-exposure are not anticipated to occur. The formulation is packaged in a child-resistant container.</p> <p>No known health conditions are aggravated by exposure to this product.</p> <p>Bait wt. per station: 1.50 grams</p>		<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>Hydramethylnon</td> <td>1.0%</td> <td>1.4 mg/M³ (TWA)*</td> </tr> </tbody> </table> <p>Cas Reg No. 67485-29-4</p> <p>Ingredients Listed By NTP, OSHA or IARC as carcinogens or potential carcinogens: none listed.</p> <p>*Cyanamid PEL</p>	Ingredient	Concentration	Worker Exposure Limit	Hydramethylnon	1.0%	1.4 mg/M ³ (TWA)*
Ingredient	Concentration	Worker Exposure Limit						
Hydramethylnon	1.0%	1.4 mg/M ³ (TWA)*						
IV Special Protection and Precautions		V Transportation and Regulatory Data						
<p>None.</p> <p>Keep Out of Reach of Children and Pets.</p>		<p>U.S. DOT Hazard Class: Not restricted</p> <p>U.S. DOT Proper Shipping Name: Insecticide, non-toxic, solid. Not restricted.</p> <p>USDA: Authorized by USDA for use in Federally inspected meat, poultry, and shell egg grading plants. Approved F2: Residual pesticide.</p> <p>EPA CERCLA/SARA TITLE III: This product contains no CERCLA/SARA Title III Materials.</p>						
VI Spill Procedures/Waste Disposal		VII Reactivity Data						
<p>Non-hazardous waste.</p> <p>Sweep up spilled material.</p> <p>Place in a container for disposal.</p> <p>Dispose in accordance with Local, State, and Federal regulations.</p>		<p>Stable under normal use and storage conditions.</p>						
VIII Fire and Explosion Data		IX Physical Data						
<p>Not flammable or Explosive.</p> <p>Flash Point: >200°F (TCC)</p> <p>Fire Extinguishing Media: Water, Foam, CO₂ or dry chemical.</p>		<p>Specific gravity: 1.4 g/ml</p> <p>Melting Point: 60° C</p>						