# **Prescription Treatment** brand

## Pressurized Flea IGR & Adulticide

Formula 1

**KILLS:** Active flea infestations and prevents infestations from developing. Prevents reinfestation for 7 months.

FOR USE IN: Apartments, Automobiles, Homes, Hospitals, Hotels, Kennels, Motels, Offices, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks), Warehouses, Utilities, Veterinary Clinics and Other Commercial and Industrial Buildings.

#### **ACTIVE INGREDIENTS:**

Pyriproxyfen [2-(1-Methyl-2-(4-phenoxyphenoxy) ethoxy) pyridine]	0.100%
Pyrethrins	0.050%
N-octyl bicycloheptene dicarboximide	0.400%
Perméthrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl)2,2-dimethylcyclopropanecarboxylate*]	0.400%
Related Compounds	0.035%
INERT INGREDIENTS:	99.015%

<sup>\*</sup>Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min. 45% (+ or -) trans

### KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

#### GENERAL INFORMATION

#### **SHAKE WELL BEFORE USE**

PT® Ultracide® kills fleas and prevents flea infestations for a full season. Adult fleas may be seen in the treated areas when brought in on infested animals or when adults emerge from pupal cases, however a population will not develop in the

In transportation equipment, certain plastics may be whitened or dulled. Apply only to carpets and cloth upholstered areas. or test an inconspicuous area before treating.

#### **DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Use PT® Ultracide® at the rate of 16 oz. for up to 2,100 sq. ft. (8 oz. for up to 1,000 sq. ft). Carpeted areas may be vacuumed before treatment and after treatment has dried. Treat infested areas or areas which could be infested; these include rugs, carpets, upholstered furniture, pet beds and pet resting areas. Hold can at arms length and direct spray toward the area to be treated. Use a sweeping motion to apply product and back away from treated area while holding the can 36 inches away from the surface being treated. An area of 80 -100 sq. ft. can be treated in approximately 10 seconds with PT® Ultracide®. When treating upholstered furniture, treat under cushions and areas where flea development occurs.

Cover aquariums and fish bowls and remove birds from area prior to treating. Treated areas should be vacated during application. EXCEPT FOR APPLICATOR DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED. Do not treat pets with this product.

NOTICE: PT® Ultracide® has been tested on several types of carpet, fabric and other household furnishings without adverse affects. In a few instances waxed surfaces have been whitened or dulled. Holding the can 36 inches away from the target surface normally prevents any whitening from occurring. Because of the wide variety of floor types and finishes, treat a small inconspicuous area before treating the entire area. Avoid contact with antique finishes.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or dis-

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



#### PRECAUTIONARY STATEMENTS

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately

IF IN EYES: Flush with plenty of water. Get medical atten-

tion if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and birds. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Apply this product only as specified on the

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do no puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Extremely flammable.

#### A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com

© 1998 Whitmire Micro-Gen Research Laboratories, Inc.